



TRIMCO

MILLWORK

Moulding Pattern Book

TMDv19



Our Mission

To be the first choice supplier for our customer's millwork and finish products needs.

Our skilled employees, each with a desire to excel, will provide quality products at competitive prices and deliver superior service to build lasting relationships with customers and vendors.

Return Policy

Merchandise Returns Must Be Authorized By A Trimco Representative

- Special orders are not subject to return.
- Damaged items are not subject to return unless noted at time of delivery.
- Cut, painted or stained items are not subject to return.
- Stock items may be returned if request is made within 60 days of purchase.
- Return merchandise to be inspected upon return to Trimco Millwork before final credit can be issued.
- 15% restocking/handling fees on returns within 60 days of Stock items with no credit allowed for crating and/or freight charges.
- NO RETURNS ALLOWED AFTER 60 DAYS.



Contents

Pine and Finger Joint Profiles.....	2-10
Oak Profiles.....	11-15
Ultralite Profiles.....	16-21
Alder Profiles.....	22-24
Hemlock Profiles.....	25-28
Moulding Accessories.....	29
Jambs and Frames.....	30-32
Shelving and MDF Sheet Stock.....	33

DRAWINGS NOT TO SCALE

FINGER JOINT AND SOLID PINE MOULDINGS

PINE


COVES



TM 85
9/16" x 1-3/4"
SOLID PINE ONLY
RL - 8'




TM 93
3/4" x 3/4"
SOLID PINE ONLY
RL - 8'



CONCAVE PROFILE:
USED AT CORNERS,
PARTICULARLY AS A
CEILING CORNICE.

SMALL COVES
MAY BE USED
AS AN INSIDE
CORNER GUARD.



QUARTER ROUNDS



TM 104
11/16" x 1-3/8"
SOLID PINE ONLY
RL ONLY



TM 105
3/4" x 3/4"
SOLID PINE ONLY
RL - 8'




TM 108
1/2" x 1/2"
SOLID PINE ONLY
RL - 8'




TM 109
3/8" x 3/8"
SOLID PINE ONLY
8' ONLY



TM 110
1/4" x 1/4"
SOLID PINE ONLY
8' ONLY




QUARTER ROUNDS MAY BE USED
AS A BASE SHOE, INSIDE CORNER
MOULDING, OR TO COVER ANY
90° RECESSED JUNCTURE.



FULL ROUNDS



TM 233
1-5/16"
FJ 16' ONLY



FULL ROUNDS:
MOST OFTEN USED AS A CLOSET
POLE OR ROOM DIVIDER.


BASE SHOES



TM 126
1/2" x 3/4"
SOLID PINE
RL - 8'
FJ PRIMED
16' ONLY



TM 188
1-1/4" x 1-5/8"
SOLID PINE ONLY
RL ONLY



BASE SHOES:
APPLIED WHERE BASE MOULDING
MEETS FLOOR. PROTECTS BASE FROM
DAMAGE. CONCEALS UNEVEN LINES OR
CRACKS WHERE BASE MEETS FLOOR.

SPECIFIED LENGTHS

We reserve the option to charge a 25% premium on specified lengths of items normally sold on a random length basis. This policy applies mostly to Solid Pine, Oak and Hemlock mouldings.

FINGER JOINT AND SOLID PINE MOULDINGS


SHELF EDGE/SCREEN MOULD



TM 137
3/8" x 3/4"
SOLID PINE ONLY
RL - 8'




TM 142
1/4" x 3/4"
SOLID PINE ONLY
RL - 8'



SCREEN MOULD:
COVERS SEAM
WHERE SCREENING
IS FASTENED TO THE
SCREEN FRAME.

SHELF EDGE:
ALSO COVERS
PARTICLE OR
FLAKEBOARD
SHELF EDGES.



CROWNS



TM 22
9/16" x 4-1/2"
SP-RL
FJ PRIMED
16' ONLY



TM 40
1-1/4" x 5-5/8"
FJ PRIMED ONLY
16' ONLY



TM 45
9/16" x 5-1/4"
FJ ONLY
16' ONLY



TM 47
9/16" X 4-5/8"
SP-RL
FJ PRIMED
16' ONLY




TM 48
9/16" x 4-1/4"
SP-RL
FJ PRIMED
16' ONLY



TM 49
9/16" x 3-5/8"
SP-RL-8'
FJ PRIMED
16' ONLY



TM 52
9/16" x 2-3/4"
SP-RL



CROWNS:
USED WHERE WALLS & CEILING
MEET. USED TO COVER LARGE
ANGLES. ALWAYS SPRUNG.

PINE

FAX: 303.371.0181

SPECIFIED LENGTHS

We reserve the option to charge a 25% premium on specified lengths of items normally sold on a random length basis. This policy applies mostly to Solid Pine, Oak and Hemlock mouldings.

3

FINGER JOINT AND SOLID PINE MOULDINGS

PINE

PANEL MOULDS



TM 184
11/16" X 1-5/16"
SOLID PINE ONLY
RL ONLY



TM 186
7/16" x 1-1/16"
SOLID PINE ONLY
RL ONLY

HALF ROUNDS



TM 120
1/2" x 1"
SOLID PINE ONLY
RL ONLY

SCREEN/S4S STOCK/SQUARE



TM 239
3/4" x 3/4"
SOLID PINE ONLY
8' ONLY



TM 960
3/8" x 2-1/4"
SOLID PINE ONLY
RL & 8'



TM PB1
1/2" x 1-3/8"
SOLID PINE ONLY
RL ONLY



TM 544
15/16" x 3-1/4"
SOLID PINE ONLY
RL ONLY



TM 545
15/16" x 5-1/4"
SOLID PINE ONLY
RL ONLY

TM 254
1/2" x 3/4"
SP RL-8'

1 x 2
11/16" x 1-3/4"
FJ PRIMED
16' ONLY

1 x 6
11/16" x 5-1/4"
FJ RAW & PRIMED
16' ONLY

TM 246
11/16" x 2-3/4"
SP RL-8'
FJ RAW & PRIMED
16'


1 x 3
11/16" x 2-3/4"
FJ PRIMED
16' ONLY

1 x 8
11/16" x 7-1/4"
FJ RAW & PRIMED
16' ONLY

TM 248
11/16" x 1-3/4"
SP RL & 8'
FJ RAW & PRIMED
16'

1 x 4
11/16" x 3-1/2"
FJ RAW & PRIMED
16' ONLY

1 x 12
11/16" x 11-1/4"
FJ PRIMED
16' ONLY




SCREEN/S4S STOCK:
SAME BASIC USES
AS SQUARES.

BRICK MOULD



TM 180
1-1/4" x 2"
FJ PRIMED 7', 17' & 18' - PRS MITERED 83-1/4"
SP RAW RL & 7'
PRS MITERED 83-1/4" AND 99-3/16"



BRICK MOULD:
USED AS AN EXTERIOR DOOR AND
WINDOW CASING. A THICK MOULDING
PROVIDES A SURFACE FOR BRICK OR
OTHER SIDING TO BUTT AGAINST.

SPECIFIED LENGTHS

We reserve the option to charge a 25% premium on specified lengths of items normally sold on a random length basis. This policy applies mostly to Solid Pine, Oak and Hemlock mouldings.

PHONE: 303.371.8888

FINGER JOINT AND SOLID PINE MOULDINGS


BEDS



TM 72
9/16" x 2-1/4"
SOLID PINE ONLY
RL ONLY



TM 74
9/16" x 1-3/4"
SOLID PINE ONLY
RL & 8'



BEDS: USED WHERE WALLS & CEILING MEET. EITHER SPRUNG OR PLAIN.

PICTURE MOULDING



TM 276
11/16" x 1-3/4"
SOLID PINE ONLY
RL ONLY

GLASS BEAD



TM 148
3/8" x 3/8"
SOLID PINE ONLY
RL ONLY



TM CM3
9/16" x 3/4"
SOLID PINE ONLY
RL ONLY

BASE CAPS




TM 165
5/8" x 1-1/8"
SOLID PINE ONLY
RL ONLY




TM 163 (PM 5)
11/16" x 1-3/8"
SOLID PINE ONLY
RL ONLY


BASE CAPS:
A DECORATIVE MEMBER INSTALLED FLUSH AGAINST WALL AND THE TOP OF AN S4S BASEBOARD. ALSO A VERSATILE PANEL MOULDING.




CORNER GUARDS



TM 204
1-5/16" x 1-5/16"
SOLID PINE ONLY
RL - 8'




TM 205
1-1/16" x 1-1/16"
SOLID PINE ONLY
RL - 8'



TM 206
3/4" x 3/4"
SOLID PINE ONLY
RL - 8'

CORNER GUARDS:
OUTSIDE (OS) CORNER GUARD IS USED TO PROTECT CORNERS OR TO COVER RAGGED EDGE WHERE WALL COVERING AND PAINTED SURFACES MEET AT OUTSIDE CORNER.



FAX: 303.371.0181

SPECIFIED LENGTHS

We reserve the option to charge a 25% premium on specified lengths of items normally sold on a random length basis. This policy applies mostly to Solid Pine, Oak and Hemlock mouldings.

FINGER JOINT AND SOLID PINE MOULDINGS

PINE

PANEL CAP



TM 287 (PM 7)
11/16" x 1-5/16"
SOLID PINE ONLY
RL ONLY




TM 291 (PM 6)
3/4" x 1-15/16"
SOLID PINE ONLY
RL - 8'

WAINSCOT/PLY CAP



TM 292
9/16" x 1-1/8"
SOLID PINE ONLY
RL - 8'



PLY CAP:
TURNS OUT THE UPPER EDGE OR
TOP OF A WAINSCOT. COVERS
PLYWOOD'S ROUGH SANDWICH EDGE IN
INSTALLATIONS WHERE IT IS EXPOSED
TO VIEW. ALSO CALLED A DADO CAP.

LATTICE





TM 962
3/8" x 2"
SOLID PINE ONLY
RL ONLY



TM 265
9/32" x 1-3/4"
SOLID PINE ONLY
RL - 8'

TM 267
9/32" x 1-3/8"
SOLID PINE ONLY
RL - 8'

TM 268
9/32" x 1-1/8"
SOLID PINE ONLY
RL - 8'




LATTICE: ORIGINALLY
USED IN TRELLIS WORK.
THIS SMALL, PLAIN S4S
MOULDING IS AMONG
THE MOST VERSATILE
OF PROFILES.

T-ASTRAGALS




TM 1305 — 1-3/8"
1-1/4" x 2"
SOLID PINE
7' ONLY
FJ 7' & 8'



TM 1300 EXT KERFED
— 1-3/4"
1-7/16" x 3"
SOLID PINE
7' ONLY



TM 1310 — 1-3/4"
1-1/4" x 2-1/4"
SOLID PINE ONLY
7' & 8'
FJ 7' & 8'



T-ASTRAGALS: AN ASTRAGAL, T-LIKE IN
SHAPE, IS RABBETED TO THE APPROXIMATE
THICKNESS OF THE SWINGING DOOR.

TM 1315 — 1-3/8"
1-1/4" x 2"
SOLID PINE ONLY
7' & 8'

SPECIFIED LENGTHS

We reserve the option to charge a 25% premium on specified lengths of items normally sold on a random length basis. This policy applies mostly to Solid Pine, Oak and Hemlock mouldings.

FINGER JOINT AND SOLID PINE MOULDINGS

CHAIR RAIL



TM 228
9/16" x 2"
SOLID PINE ONLY
RL - 8'



TM 390
11/16" x 2-5/8"
SOLID PINE ONLY
RL ONLY




TM 297
11/16" x 3"
SOLID PINE ONLY
RL ONLY



TM 298
11/16" x 2-1/2"
SOLID PINE ONLY
RL ONLY



TM 301
1-1/8" x 2-1/2"
SOLID PINE ONLY
RL ONLY



CHAIR RAIL: INTERIOR MOULDING APPLIED ABOUT ONE THIRD UP FROM THE FLOOR, PARALLELING BASE MOULDING AND ENCIRCLING THE ROOM. ORIGINALLY USED TO PREVENT CHAIRS FROM MARRING WALLS. USED TODAY AS A KEY DECORATIVE DETAIL IN TRADITIONAL AND COLONIAL DESIGN.

STOPS



TM 856
3/8" x 1-3/8"
SOLID PINE RL - 7'
FJ 7' & 17'



TM 876
7/16" x 1-3/8"
SOLID PINE ONLY
RL-7'





TM 906
7/16" x 1-3/8"
SOLID PINE ONLY
7' ONLY



TM 886
SOLID PINE 3/8" x 1-3/8"
RL - 7'
FJ 3/8" x 1-3/8"
7' & 17'
FJ MITERED 80-5/8"



TM 916
3/8" x 1-3/8"
SOLID PINE RL - 7'
FJ 7' - 17'
FJ MITERED 80-5/8" & 96-5/8"
FJ PRIMED & MITERED 80-5/8" ONLY





STOPS: IN DOOR TRIM, STOP IS NAILED TO THE FACES OF THE DOOR FRAME TO PREVENT THE DOOR FROM SWINGING THROUGH. AS WINDOW TRIM, STOP HOLDS THE BOTTOM SASH OF A DOUBLE-HUNG WINDOW IN PLACE. ALSO USED AS AN APRON UNDER WINDOW STOOLS.

CHAMFER STRIP



TM 995
3/4" x 3/4"
SOLID WHITE WOOD
RL

CHAMFER STRIP: USED IN HIGHWAY AND DAM CONSTRUCTION FORMS, MAKING A CHAMFERED EDGE AT CONCRETE CORNERS. ALSO USED WHERE KITCHEN CABINET TOPS MEET THE WALL. ALSO USED AS A LINOLEUM COVE (UNDER LINOLEUM WHERE IT EXTENDS UP THE WALL.)



FAX: 303.371.0181

SPECIFIED LENGTHS

We reserve the option to charge a 25% premium on specified lengths of items normally sold on a random length basis. This policy applies mostly to Solid Pine, Oak and Hemlock mouldings.

7

PINE

FINGER JOINT AND SOLID PINE MOULDINGS

CASING

PINE



TM 311
5/8" x 2-1/2"
SOLID PINE RL - 7'
FJ 85" & 17'



TM 312
11/16" x 3"
SOLID PINE RL ONLY
FJ 17' ONLY



TM 322
5/8" x 2-1/2"
FJ 85" & 17'



TM 328
11/16" x 2-1/4"
SOLID PINE RL - 7'
FJ 85", 14' & 17'
FJ PRIMED 85", 14' & 17'



TM 346
5/8" x 2-1/4"
SOLID PINE RL - 7'
FJ 85", 14' & 17'
FJ PRIMED 85", 14' & 17'



TM 352
5/8" x 2-1/2"
SOLID PINE RL - 7'
FJ 85" & 16'
FJ PRIMED 16' ONLY



TM 356
11/16" x 2-1/4"
SOLID PINE RL - 7'
FJ 85" & 14'
FJ PRIMED 85" & 17'



TM 474
GARAGE STOP
9/16" x 2-1/4"
FJ 16' ONLY



TM 387
5/8" x 2-1/4"
SOLID PINE RL - 7'
FJ 85" & 14'
FJ PRIMED 17' ONLY



TM 413
11/16" x 3-1/4"
SOLID PINE RL ONLY
FJ PRIMED 17' ONLY



TM 433
9/16" x 3-1/4"
SOLID PINE RL ONLY
FJ 16' ONLY



TM 453
11/16" x 2-1/4"
FJ PRIMED 7' & 17'



TM 473
9/16" x 2-1/4"
SOLID PINE RL - 7'
FJ 85" ONLY
FJ PRIMED 85" & 16'



TM 715
5/8" x 3"
FJ PRIMED 17' ONLY



TM 434
9/16" x 3-1/4"
SOLID PINE 7' ONLY



CASING: USED TO TRIM
INSIDE AND OUTSIDE DOOR
AND WINDOW OPENINGS.

FINGER JOINT AND SOLID PINE MOULDINGS

BASE MOULDINGS

**TM 444**

11/16" x 3-1/2"
SOLID PINE RL ONLY
FJ 16' ONLY
FJ PRIMED 17' ONLY

**TM 604**

1/2" x 3-1/4"
FJ & FJ PRIMED 16' ONLY

**TM 618**

9/16" x 5-1/4"
SOLID PINE RL ONLY
FJ 16' ONLY
FJ PRIMED 16' ONLY

TM 620

9/16" x 4-1/4"
FJ PRIMED 16' ONLY

TM 623

9/16" x 3-1/4"
SOLID PINE RL - 8'
FJ & FJ PRIMED 16' ONLY

TM 634

1/2" x 2-1/2"
SOLID PINE RL & 8'
FJ & FJ PRIMED 16' ONLY

**TM 713**

9/16" x 3-1/4"
FJ PRIMED 16' ONLY
FJ 16' ONLY
SOLID PINE RL & 8'

**TM 725**

9/16" x 2-1/2"
SOLID PINE RL

**TM 724**



1/2" x 2-1/2"
FJ 16' ONLY
FJ PRIMED 16'

TM 726

9/16" x 2-1/4"
FJ & FJ PRIMED 16' ONLY

**TM 822**

9/16" x 3-1/4"
FJ 16' ONLY
FJ PRIMED



BASE MOULDINGS: APPLIED WHERE FLOOR AND WALLS MEET, FORMING A VISUAL FOUNDATION. PROTECTS WALLS FROM KICKS, BUMPS, FURNITURE, ETC. BASE MAY BE REFERRED TO AS ONE, TWO, OR THREE-MEMBER. BASE SHOE AND BASE CAP ARE USED TO CONCEAL UNEVEN FLOOR AND WALL JUNCTIONS.

TM 530

9/16" x 5-1/4"
SOLID PINE
RL ONLY
1/2" x 5-1/4"
FJ & FJ PRIMED
16' ONLY

TM 412

9/16" x 4-1/4"
SOLID PINE
RL ONLY

TM 414

9/16" x 4-1/4"
FJ 16'

TM 411

11/16" x 3-1/4"
SP RL - 87"
FJ 90" & 16'
FJ PRIMED 17' ONLY



PINE

FAX: 303.371.0181

SPECIFIED LENGTHS

We reserve the option to charge a 25% premium on specified lengths of items normally sold on a random length basis. This policy applies mostly to Solid Pine, Oak and Hemlock mouldings.

9

FINGER JOINT AND SOLID PINE MOULDINGS

BASE MOULDINGS

PINE



TM 683
5/8" x 3-1/4"
SOLID PINE RL ONLY
Fj & FJ PRIMED 16' ONLY



TM 684
9/16" x 5-1/4"
Fj & FJ PRIMED 16' ONLY



TM 711
9/16" x 3-1/4"
SOLID PINE RL ONLY
FJ & FJ PRIMED 16' ONLY



TM 744
9/16" x 3-1/4"
FJ PRIMED 16' ONLY



TM 745
5/8" x 4-3/4"
FJ PRIMED 16' ONLY



TM 775
9/16" x 7"
FJ PRIMED 16' ONLY



TM 811
5/8" x 4-1/2"
SOLID PINE RL ONLY
FJ PRIMED 16' ONLY
FJ 16' ONLY



TM 852
9/16" x 3-1/4"
SOLID PINE RL ONLY
FJ & FJ PRIMED 16' ONLY



TM 952
9/16" x 4-1/2"
SOLID PINE RL ONLY
FJ & FJ PRIMED 16' ONLY

SPECIFIED LENGTHS


We reserve the option to charge a 25% premium on specified lengths of items normally sold on a random length basis. This policy applies mostly to Solid Pine, Oak and Hemlock mouldings.

SOLID OAK MOULDINGS

OUTSIDE CORNER



TM 206
3/4" x 3/4"
8' ONLY



TM 205
1-1/16" x 1-1/16"
RL - 8'

STOPS



TM 816
7/16" x 1-3/8"
RL - 7'



TM 886
3/8" x 1-1/4"
RL - 7'



TM 946
7/16" x 1-3/8"
RL - 7'



TM 916
3/8" x 1-3/8"
RL - 7'

CROWN



TM 49
9/16" x 3-5/8"
RL ONLY



TM 48
3/4" x 4-1/4"
RL ONLY

CHAIR RAIL



TM 224
9/16" x 2-1/4"
RL - 8'

LATTICE



TM 263
1/4" x 2-1/4"
RL ONLY

TM 265
9/32" x 1-3/4"
8' ONLY

QUARTER ROUNDS



TM 105
3/4" x 3/4"
RL - 8'



TM 108
1/2" x 1/2"
RL - 8'

COL. CAP



TM 292
9/16" x 1-1/8"
RL - 8'
RAB - 1/4" & 3/8"

COVE



TM 93
3/4" x 3/4"
RL - 8'

BASE SHOES



TM 126
1/2" x 3/4"
RL - 8'

OAK

SOLID OAK MOULDINGS

BASE MOULDINGS



TM 444
7/16" x 3-1/4"
RL ONLY



TM 623
7/16" x 3-1/4"
RL & 8'



TM 634
3/8" x 2-3/4"
RL ONLY



TM 683
7/16" x 3-1/4"
RL ONLY



TM 713
7/16" x 3-1/4"
RL - 8'



BASE MOULDINGS: APPLIED WHERE FLOOR AND WALLS MEET, FORMING A VISUAL FOUNDATION. PROTECTS WALLS FROM KICKS, BUMPS, FURNITURE, ETC. BASE MAY BE REFERRED TO AS ONE, TWO, OR THREE-MEMBER. BASE SHOE AND BASE CAP ARE USED TO CONCEAL UNEVEN FLOOR AND WALL JUNCTIONS.

SHELF EDGE/SCREEN MOULD




TM 144
1/4" x 3/4"
RL ONLY




TM 137
3/8" x 3/4"
RL ONLY



TM 142
1/4" x 3/4" x 8'



SCREEN MOULD:
COVERS SEAM WHERE SCREENING IS FASTENED TO THE SCREEN FRAME.



SHELF EDGE:
ALSO COVERS PARTICLE OR FLAKEBOARD SHELF EDGES.

SPECIFIED LENGTHS

We reserve the option to charge a 25% premium on specified lengths of items normally sold on a random length basis. This policy applies mostly to Solid Pine, Oak and Hemlock mouldings.

SOLID OAK MOULDINGS

CASING



TM 311
1/2" x 2-1/4"
RL ONLY



TM 411
5/8" x 3-1/4"
RL ONLY



TM 328
7/16" x 2-1/4"
RL - 7'



TM 433
3/8" x 3-1/4"
RL ONLY



TM 346
9/16" x 2-1/4"
RL - 7'



TM 473
9/16" x 2-1/4"
RL & 7'



TM 356
1/2" x 2-1/4"
RL - 7'



TM 446
3/8" x 3-1/4"
RL ONLY



TM 387
9/16" x 2-1/4"
RL ONLY



TM 395
3/4" x 2-1/4"
RL ONLY

BASE CAP



TM 163
11/16" x 1-3/8"
8' ONLY

BRICK MOULD



TM 180
1-1/16" x 2"
RL - 7'

BEDS



TM 74
9/16" x 1-3/4"
RL ONLY

FAX: 303.371.0181

SPECIFIED LENGTHS

We reserve the option to charge a 25% premium on specified lengths of items normally sold on a random length basis. This policy applies mostly to Solid Pine, Oak and Hemlock mouldings.

SOLID OAK MOULDINGS

HAND RAIL




TM 968
1-1/4" x 3-1/2"
RL ONLY



TM 261
1-1/4" x 5-1/2"
RL ONLY



TM 261DG
1-1/4" x 5-1/2"
RL ONLY



HAND RAIL:
USED AS A HAND SUPPORT
IN A STAIRWELL.



TM 236
1-5/16"
RL ONLY




TM 231
1-1/2" x 1-11/16"
16' ONLY

OAK S4S BOARDS


1 x 2	S4S	3/4" x 1-3/4"	RL - 8'
1 x 3	S4S	3/4" x 2-1/2"	RL
1 x 4	S4S	3/4" x 3-1/2"	RL
1 x 6	S4S	3/4" x 5-1/2"	RL
1 x 8	S4S	3/4" x 7-1/4"	RL
1 x 10	S4S	3/4" x 9-1/4"	RL
1 x 12	S4S	3/4" x 11-1/4"	RL



FULL ROUNDS



FULL ROUNDS:
MOST OFTEN USED AS A CLOSET
POLE OR ROOM DIVIDER.



TM 233
1-5/16"
RL-8'

OAK VENEERED MOULDINGS

CASING



TM 357
11/16" x 2-1/4"
7' & 14'



TM 356
1/2" x 2-1/8"
7' & 14'



TM 324
1/2" x 2-1/4"
7' & 14'



TM 346
5/8" x 2-1/4"
7' & 14'



CASING: USED TO TRIM
INSIDE AND OUTSIDE DOOR
AND WINDOW OPENINGS.

STOPS



TM 916
3/8" x 1-3/8"
7' ONLY



TM 877
3/8" x 1-3/8"
7' ONLY

BASEBOARD



TM 634
3/8" x 2-3/4"
14' ONLY



TM 623
9/16" x 3-1/4"
14' ONLY



TM 444
5/8" x 3-1/4"
14' ONLY

CROWN



TM 51
5/8" x 3-1/4"
OAK & MAPLE
14' ONLY



OAK

SPECIFIED LENGTHS

We reserve the option to charge a 25% premium on specified lengths of items normally sold on a random length basis. This policy applies mostly to Solid Pine, Oak and Hemlock mouldings.

PRIMED LITE MDF MOULDINGS

BASE MOULDINGS



BASE MOULDINGS: APPLIED WHERE FLOOR AND WALLS MEET, FORMING A VISUAL FOUNDATION. PROTECTS WALLS FROM KICKS, BUMPS, FURNITURE, ETC. BASE MAY BE REFERRED TO AS ONE, TWO, OR THREE-MEMBER. BASE SHOE AND BASE CAP ARE USED TO CONCEAL UNEVEN FLOOR AND WALL JUNCTIONS.



TM 620
1/2" x 4-1/4"
16' ONLY

TM 608
9/16" x 5-1/4"
16' ONLY

TM 411
9/16" x 3-1/4"
16' ONLY

TM 412
9/16" x 4-1/4"
16' ONLY

TM 545
9/16" x 5"
16' ONLY

TM 444
5/8 x 3-3/8"
17' ONLY

TM 618
1/2" x 5-1/4"
16' ONLY

TM 623
1/2" x 3-1/4"
16' ONLY

TM 634
1/2" x 2-1/2"
16' ONLY

ULTRALITE MDF

PRIMED LITE MDF MOULDINGS


BASE MOULDINGS — CONTINUED FROM PAGE 16



ULTRALITE MDF

PRIMED LITE MDF MOULDINGS

BASE MOULDINGS — CONTINUED FROM PAGE 17



TM 745
9/16" x 4-3/4"
16' ONLY

TM 811
9/16" x 4-1/2"
16' ONLY


TM 852
9/16" x 3-1/4"
16' ONLY

TM 414D
9/16" x 5-1/4"
16' ONLY

TM 6688
9/16" x 6-1/4"
16' ONLY

TM 952
9/16" x 4-7/16"
16' ONLY

STOPS



TM 916
3/8" x 1-3/8"
7' & 8' MITERED



TM 886
3/8" x 1-3/8"
7' & 8' MITERED

CASING



TM 311
5/8" x 2-1/2"
85" & 17'



TM 324
9/16" x 2-1/4"
14' & 17'



TM 312
9/16" x 3"
17' ONLY



TM 346
5/8" x 2-1/4"
14' & 17'

ULTRALITE MDF

PRIMED LITE MDF MOULDINGS

CASING — CONTINUED FROM PAGE 17



TM 352
5/8" x 2-1/2"
85" & 17'



TM 356
5/8" x 2-1/4"
85", 14' & 17'



TM 387
5/8" x 2-1/4"
85" & 16'



TM 388
3/4" x 3-1/4"
17' ONLY



TM 411D
5/8" x 3-1/4"
90" & 17'



TM 473
9/16" x 2-1/4"
7', 14', 16' & 17'



TM 433
1/2" x 3-1/4"
16' ONLY



TM 413
11/16" x 3-1/4"
85" & 17'



CASING: USED TO TRIM
INSIDE AND OUTSIDE DOOR
AND WINDOW OPENINGS.



TM 434
9/16" x 3-3/8"
14' ONLY



TM 535
3/4" x 3-1/2"
17'



TM 715
11/16" x 3"
17' ONLY



TM 5000
1" x 3-3/4"
16' ONLY



TM 8063
3/4" x 3-1/4"
17'

ULTRALITE MDF

PRIMED LITE MDF MOULDINGS

CROWN



TM 45
9/16" x 5-1/4"
16' ONLY



TM 47
9/16" x 4-5/8"
16' ONLY



TM 49
9/16" x 3-5/8"
16' ONLY



TM 54
9/16" x 2-1/4"
16' ONLY

HEADER



TM PB1
1/2" x 1-3/8"
SOLID PINE ONLY
RL ONLY



TM 546
25MM x 5-1/2"
16' ONLY

SHIPLAP



15MM x 5-1/2"
15MM x 7-1/4"
16' ONLY

PRIMED LITE MDF MOULDINGS

WINDOW STOOL



TM 1021
11/16" x 5-1/4"
16' ONLY

TM 1021 A
11/16" x 7-1/4"
16' ONLY

CHAIR RAIL



TM 297
9/16" x 3"
16' ONLY

MDF S2S BOARDS (MEDIUM DENSITY FIBERBOARD)

16' LENGTHS

1 x 2	E2E	11/16" x 1-3/4"	PRIMED
1 x 3	E2E	11/16" x 2-1/2"	PRIMED
1 x 4	E2E	11/16" x 3-1/2"	PRIMED
1 x 5	E2E	11/16" x 4-5/8"	PRIMED
1 x 6	E2E	11/16" x 5-1/2"	PRIMED
1 x 7	E2E	11/16" x 6-1/4"	PRIMED
1 x 8	E2E	11/16" x 7-1/4"	PRIMED
1 x 10	E2E	11/16" x 9-1/4"	PRIMED
1 x 12	E2E	11/16" x 11-1/4"	PRIMED

16' LENGTHS

1 x 2	S4S	11/16" x 1-3/4"	RAW
1 x 3	S4S	11/16" x 2-1/2"	RAW
1 x 4	S4S	11/16" x 3-1/2"	RAW
1 x 6	S4S	11/16" x 5-1/2"	RAW
1 x 8	S4S	11/16" x 7-1/4"	RAW
1 x 12	S4S	11/16" x 11-1/4"	RAW

Eased Edge

S4S

ULTRALITE MDF

KNOTTY ALDER MOULDINGS

CASING



TM 312
11/16" x 3"
RL ONLY



TM 356
11/16" x 2-1/4"
RL ONLY



TM 346
5/8" x 2-1/4"
RL ONLY



TM 411
11/16" x 3-1/4"
RL ONLY



TM 413
11/16" x 3-1/2"
88" & RL



TM 352
11/16" x 2-1/2"
RL ONLY



TM 715
13/16" x 3"
RL ONLY



TM 545
1" x 5-1/2"
RL ONLY

BRICK MOULD



TM 180
1-1/4" x 2"
8' & 10'


PANEL CAP



TM 287 (PM 7)
11/16" x 1-5/16"
RL ONLY



TM 291 (PM 6)
3/4" x 1-7/8"
RL ONLY



TM PB1
1/2" x 1-3/8"
RL ONLY

S4S BOARDS

1 x 2
3/4" x 1-3/4"
RL

1 x 4 (E2E)
3/4" x 3-1/2"
RL

1 x 6 (E2E)
3/4" x 5-1/2"
RL

1 x 8 (E2E)
3/4" x 7-1/4"
RL

1 x 10
3/4" x 9-1/4"
RL

1 x 12
3/4" x 11-1/4"
RL



KNOTTY ALDER MOULDINGS

BASE MOULDINGS



TM 623
9/16" x 3-1/4"
RL ONLY

TM 618
9/16" x 5-1/4"
RL ONLY



TM 514
9/16" x 5-1/4"
RL ONLY



TM 530
5/8" x 5-1/4"
RL ONLY

TM 603
5/8" x 5-1/4"
FJ 16 ONLY



TM 444
11/16" x 3-1/4"
RL ONLY



TM 745
5/8" x 4-3/4"
RL ONLY





TM 811
9/16" x 4-1/2"
KNOTTY ALDER
RL ONLY



TM 852
9/16" x 3-1/4"
RL ONLY



TM 952
9/16" x 4-1/2"
RL ONLY



BASE MOULDINGS: APPLIED WHERE FLOOR AND WALLS MEET, FORMING A VISUAL FOUNDATION. PROTECTS WALLS FROM KICKS, BUMPS, FURNITURE, ETC. BASE MAY BE REFERRED TO AS ONE, TWO, OR THREE-MEMBER. BASE SHOE AND BASE CAP ARE USED TO CONCEAL UNEVEN FLOOR AND WALL JUNCTIONS.

QUARTER ROUND



TM 105
3/4" x 3/4"
RL ONLY

SCREEN MOULD



TM 142
1/4" x 3/4"
RL ONLY

BASE SHOE/BASE CAP



TM 126
1/2" x 3/4"
RL ONLY




TM 165
5/8" x 1-1/8"
RL ONLY

ALDER

KNOTTY ALDER MOULDINGS


T-ASTRAGALS



TM 1310
1-1/4" x 2-3/8"
8' & 10'

TM 1315
1-1/4" x 2"
8' ONLY

TM 1300L EXT KERFED
1-7/16" x 3"
8' ONLY



T-ASTRAGALS: AN ASTRAGAL, T-LIKE IN SHAPE, IS RABBETED TO THE APPROXIMATE THICKNESS OF THE SWINGING DOOR.

COVES



TM 93
3/4" x 3/4"
RL ONLY


CROWN



TM 47
11/16" x 5-3/16"
RL ONLY

TM 48
11/16" x 4-1/4"
RL ONLY


STOPS



STOPS: IN DOOR TRIM, STOP IS NAILED TO THE FACES OF THE DOOR FRAME TO PREVENT THE DOOR FROM SWINGING THROUGH. AS WINDOW TRIM, STOP HOLDS THE BOTTOM SASH OF A DOUBLE-HUNG WINDOW IN PLACE. ALSO USED AS AN APRON UNDER WINDOW STOOLS.



TM 887
3/8" x 1-1/4"
7' & 108"



TM 916
3/8" x 1-1/4"
7' & 108"

HEMLOCK MOULDINGS

BASE MOULDINGS



TM 618
9/16" x 5-1/4"
RL ONLY



TM 623
1/2" x 3-1/4"
RL ONLY



TM 634
1/2" x 2-1/2"
RL ONLY



TM 683
9/16" x 3-1/4"
RL ONLY



TM 711
1/2" x 3-1/4"
RL ONLY



TM 744
9/16" x 3-1/4"
RL ONLY




TM 746
9/16" x 5-1/4"
RL ONLY



TM 811
5/8" x 4-1/2"
RL ONLY





TM 411
11/16" x 3-1/4"
RL & 7'



TM 852
1/2" x 3-1/4"
RL ONLY



TM 444
5/8" x 3-1/4"
RL ONLY



BASE MOULDINGS: APPLIED WHERE FLOOR AND WALLS MEET, FORMING A VISUAL FOUNDATION. PROTECTS WALLS FROM KICKS, BUMPS, FURNITURE, ETC. BASE MAY BE REFERRED TO AS ONE, TWO, OR THREE-MEMBER. BASE SHOE AND BASE CAP ARE USED TO CONCEAL UNEVEN FLOOR AND WALL JUNCTIONS.

HEMLOCK S4S BOARDS

11/16" x 1-3/4"

11/16" x 2-3/4"

11/16" x 3-1/2"

11/16" x 5-1/2"

11/16" x 7-1/4"

11/16" x 9-1/4"

11/16" x 11-1/4"

HEMLOCK BOARDS

3/4" x 5-1/2"

POPLAR BOARDS

3/4" x 7-1/4"

POPLAR BOARDS

TM 430
1/2" x 5-1/4"
RL ONLY

HEMLOCK

SPECIFIED LENGTHS

We reserve the option to charge a 25% premium on specified lengths of items normally sold on a random length basis. This policy applies mostly to Solid Pine, Oak and Hemlock mouldings.

HEMLOCK MOULDINGS

CASINGS



TM 311
9/16" x 2-1/2"
RL & 7'



TM 346
5/8" x 2-1/4"
RL & 7'



TM 352
11/16" x 2-1/2"
RL & 7'



TM 356
5/8" x 2-1/4"
RL & 7'



TM 433
9/16" x 3-1/4"
RL ONLY



TM 387
5/8" x 2-1/4"
RL & 7'




TM 473
9/16" x 2-1/4"
RL ONLY



CASING: USED TO TRIM INSIDE AND OUTSIDE DOOR AND WINDOW OPENINGS.


T-ASTRAGALS



TM 1315
1-1/4" x 2-3/8"
8' ONLY



TM 1300L EXT KERFED
1-7/16" x 3"
8' ONLY




T-ASTRAGALS: AN ASTRAGAL, T-LIKE IN SHAPE, IS RABBETED TO THE APPROXIMATE THICKNESS OF THE SWINGING DOOR.

HEMLOCK MOULDINGS

FULL ROUNDS




TM 233
1-5/16"
8' & RL




FULL ROUNDS:
MOST OFTEN USED AS A CLOSET
POLE OR ROOM DIVIDER.

HANDRAIL



TM 231
1-1/2" x 1-11/16"
8' - RL

TM 1867
1-9/16" x 2"
RL ONLY



HAND RAIL:
USED AS A HAND SUPPORT
IN A STAIRWELL.



TM 261DG
1-7/16" x 5-1/2"
RL ONLY



TM 260
1-7/16" x 5-1/2"
RL ONLY


HEMLOCK

HEMLOCK MOULDINGS

BRICK MOULD



TM 180
1-1/4" x 2"
RL & 7'




BRICK MOULD:
USED AS AN EXTERIOR DOOR AND WINDOW CASING. A THICK MOULDING PROVIDES A SURFACE FOR BRICK OR OTHER SIDING TO BUTT AGAINST.

BASE SHOE



TM 126
1/2" x 3/4"
RL ONLY



BASE SHOES:
APPLIED WHERE BASE MOULDING MEETS FLOOR. PROTECTS BASE FROM DAMAGE. CONCEALS UNEVEN LINES OR CRACKS WHERE BASE MEETS FLOOR.

STOP



TM 916
3/8" x 1-3/8"
RL & 7'



Stops: IN DOOR TRIM, STOP IS NAILED TO THE FACES OF THE DOOR FRAME TO PREVENT THE DOOR FROM SWINGING THROUGH. AS WINDOW TRIM, STOP HOLDS THE BOTTOM SASH OF A DOUBLE-HUNG WINDOW IN PLACE. ALSO USED AS AN APRON UNDER WINDOW STOOLS.

SQUARES



TM 236
1-7/16" x 1-7/16"
RL & 48"




TM 237
1-1/4" x 1-1/4"
48" ONLY

MOULDING ACCESSORIES

CORNER BLOCKS BULLSEYE DESIGN


AVAILABLE IN OAK, PINE, MDF

* SIZES LISTED ON PRICE PAGES





PLINTH BLOCKS

AVAILABLE IN OAK, PINE, MDF



3/4" RADIUS CORNERS • THESE ARE JUST A FEW OF THE PROFILES WE STOCK. WE CAN MATCH ANY MOULDING PROFILE IN THE ABOVE WOODS.

AVAILABLE IN OAK, PINE, MDF, AND ALDER



3/4" RADIUS CORNERS			
PINE	PRIMED PINE	OAK	MDF
346	346	356	346
356	356	433	356
412	414	444	411
433	433	446	412
444	444	618	430
530	618	623	433
618	620	634	444
623	623	444	604
634	634	623	608
683	683	634	618
711	684		620
713	711		623
725	713		634
726	724		663
811	726		683
852	811		684
952	852		711
	952		745
			811
			852
			952

PROFILE DIMENSIONS ARE IN CATALOG PAGES

ACCESSORIES

RADIUS CORNERS

FLAT JAMBS



4-5/8" FLAT JAMBS	82-1/4"	98-1/4"
SOLID PINE	X	
PINE VENEER	X	X
FJ RAW	X	X
FJ PRIMED	X	X
HEMLOCK VENEER	X	X
OAK VENEER LBR.	X	X
OAK VENEER P.B.	X	
BIRCH VENEER	X	
KNOTTY ALDER	X	X
MDF PRIMED	X	

4-7/8" FLAT JAMBS	82-1/4"	98-1/4"
SOLID PINE		X
PINE VENEER		X
FJ RAW	X	X
FJ PRIMED	X	
OAK VENEER LBR.	X	
KNOTTY ALDER	X	X
MDF PRIMED	X	

5-1/4" FLAT JAMBS	82-1/4"	98-1/4"
SOLID PINE		X
FJ RAW	X	

7-1/4" FLAT JAMBS	82-1/4"
FJ RAW	X
OAK VENEER LBR.	X

6-5/8" FLAT JAMBS	82-1/4"	98-1/4"
SOLID PINE		X
PINE VENEER	X	
FJ RAW	X	X
HEMLOCK VENEER	X	
OAK VENEER LBR.	X	X
KNOTTY ALDER	X	X

EXTERIOR FRAMES

2-1/8" RAB



1-3/4" RAB



4-5/8" EXTERIOR FRAME	81-11/16"	82"	82-1/2"	82-3/4"	98-3/4"
SOLID PINE 1-3/4" RAB			X		
SOLID PINE KERFED 2-1/8" RAB				X	X
FJ RAW KERFED 2-1/8" RAB			X		
FJ RAW KERFED 2-1/8" RAB NO SILL DADO			X		
FJ PRIMED KERFED 2-1/8" RAB	X	X		X	X
HEMLOCK KERFED 2-1/8" RAB			X		X
OAK KERFED 2-1/8" RAB			X		X
KNOTTY ALDER KERFED 2-1/8" RAB				X	X

4-7/8" EXTERIOR FRAME	81-11/16"	82"	82-1/2"	82-3/4"	98-3/4"
FJ RAW KERFED 2-1/8" RAB			X		
FJ PRIMED KERFED 2-1/8" RAB				X	

EXTERIOR FRAMES

5-1/4" EXTERIOR FRAME	81-11/16"	82"	82-1/2"	82-3/4"	98-3/4"
SOLID PINE 1-3/4" RAB				X	
SOLID PINE KERFED 2-1/8" RAB				X	
FJ RAW 1-3/4" RAB			X		
FJ RAW KERFED 2-1/8" RAB			X		
FJ PRIMED KERFED 2-1/8" RAB				X	
OAK 1-3/4" RAB			X		
OAK KERFED 2-1/8" RAB			X		

6-5/8" FIRE RATED FRAME	82-3/4"	SETS ONLY
FJ-FR PRIMED 2-1/8" RAB	X	

6-5/8" EXTERIOR FRAME	81-11/16"	82"	82-1/2"	82-3/4"	98-3/4"	RL
SOLID PINE 1-3/4" RAB						X
SOLID PINE KERFED 2-1/8" RAB				X	X	
FJ RAW KERFED 2-1/8" RAB			X			
FJ RAW KERFED 2-1/8" RAB NO SILL DADO				X		
FJ PRIMED KERFED 2-1/8" RAB	X	X		X	X	
HEMLOCK KERFED 2-1/8" RAB			X		X	
OAK 1-3/4" RAB			X			
OAK KERFED 2-1/8" RAB			X		X	
KNOTTY ALDER KERFED 2-1/8" RAB				X	X	

6-7/8" EXTERIOR FRAME	81-11/16"	82"	82-1/2"	82-3/4"	98-3/4"
FJ PRIMED KERFED 2-1/8" RAB					X
KNOTTY ALDER KERFED 2-1/8" RAB				X	

7-1/4" EXTERIOR FRAME	81-11/16"	82"	82-1/2"	82-3/4"	98-3/4"	RL
SOLID PINE 1-3/4" RAB				X		
SOLID PINE KERFED 2-1/8" RAB					X	X
FJ RAW KERFED 2-1/8" RAB			X			
FJ PRIMED KERFED 2-1/8" RAB				X		
HEMLOCK KERFED 2-1/8" RAB					X	

SHELVING

SHELVING

MDF SHEET STOCK

RAW PARTICLE BOARD BNEF SHELVING

ITEM NUMBER	SIZE	DESCRIPTION	BUNDLE QTY.	UNIT QTY.
12"				
RPB1296	3/4" x 11-1/4" x 8'	BULL NOSE FILLED (BNEF)	1	80
RPB12120	3/4" x 11-1/4" x 10'	BULL NOSE FILLED (BNEF)	1	80
RPB12144	3/4" x 11-1/4" x 12'	BULL NOSE FILLED (BNEF)	1	80
16"				
RPB1696	3/4" x 15-1/4" x 8"	BULL NOSE FILLED (BNEF)	1	60
RPB16120	3/4" x 15-1/4" x 10"	BULL NOSE FILLED (BNEF)	1	60
RPB16144	3/4" x 15-1/4" x 12"	BULL NOSE FILLED (BNEF)	1	60
24"				
RPB2496	3/4" x 23-1/4" x 8'	BULL NOSE FILLED (BNEF)	1	40
RPB24144	3/4" x 23-1/4" x 12'	BULL NOSE FILLED (BNEF)	1	40

RAW MDF BULL NOSE SHELVING

ITEM NUMBER	SIZE	DESCRIPTION	BUNDLE QTY.	UNIT QTY.
12"				
401x1208BN	11/16" x 11-1/4" x 8'	RAW MDF BULL NOSE	1	80
401x1210BN	11/16" x 11-1/4" x 10'	RAW MDF BULL NOSE	1	80
401x1212BN	11/16" x 11-1/4" x 12'	RAW MDF BULL NOSE	1	80
401x1216BN	11/16" x 11-1/4" x 16'	RAW MDF BULL NOSE	1	80
16"				
401x1608BN	11/16" x 15-1/4" x 8"	RAW MDF BULL NOSE	1	60
401x1610BN	11/16" x 15-1/4" x 10"	RAW MDF BULL NOSE	1	60
401x1612BN	11/16" x 15-1/4" x 12"	RAW MDF BULL NOSE	1	60
401x1616BN	11/16" x 15-1/4" x 16"	RAW MDF BULL NOSE	1	60
24"				
401x2408BN	11/16" x 23-1/4" x 8'	RAW MDF BULL NOSE	1	40
401x2410BN	11/16" x 23-1/4" x 10'	RAW MDF BULL NOSE	1	40
401x2412BN	11/16" x 23-1/4" x 12'	RAW MDF BULL NOSE	1	40

RAW PARTICLE BOARD STAIR STEPPING

ITEM NUMBER	SIZE	DESCRIPTION	BUNDLE QTY.	UNIT QTY.
12"				
RPB12144STEP	1-1/8" x 11-1/4" x 12'	BULL NOSE STAIR STEPPING	1	52

SHELVING WHITE MELAMINE

ITEM NUMBER	SIZE	DESCRIPTION	BUNDLE QTY.	UNIT QTY.
12"				
MBW1297	11/16" x 11-1/4" x 8'	WHITE MALAMINE SHELVING SQ EDGE	1	80
16"				
MBW1697	11/16" x 15-1/4" x 8'	WHITE MALAMINE SHELVING SQ EDGE	1	60

MDF SHEET STOCK

MDF SHEET STOCK

ITEM NUMBER	SIZE	DESCRIPTION	BUNDLE QTY.	UNIT QTY.
MDF499714	1/4" x 4" 8'	MDF SHEET STOCK	1	96
MDF499712	1/2" x 4" 8'	MDF SHEET STOCK	1	48
MDF499734	3/4" x 4" 8'	MDF SHEET STOCK	1	32

NOTES

NOTES

NOTES

NOTES

GENERAL REQUIREMENTS

GRADE - Wood mouldings are available in two grades. "N Grade" is intended for natural or clear finishes and the exposed face must be of one single piece. "P Grade" is intended for opaque paint finishes or overlays and can be finger jointed and or edge glued.

These grades may have a few minor characteristics such as light checks, small pitch pockets, light torn grain, occasional medium stain or a small amount of medium pitch. A serious combination of these is not admissible in any one piece. The number and extent of characteristics permitted varies as the area of the piece increases or diminishes.

N-GRADE (suitable for natural, stain, paint, or enamel finish). On the basis of net 2" face-12' long this grade will admit the following characteristics or their equivalent:

- A. A small spot of torn grain, one foot of medium pitch, light skip in dressing on back, or
- B. One small and one very small pitch pocket, or
- C. One short, tight season check and a light snipe at one end, or
- D. Medium stain in occasional (10%) pieces for one third the area in an otherwise perfect piece.

Characteristics that will not show when piece is laid shall not be given the same consideration as characteristics elsewhere.

P-GRADE (paint or overlay grade)

The same quality as N-Grade except stain is no defect. Glue joints (laminated or finger joints) must be precision machined and assembled with tight joints. Patching, filling or plugging is permitted providing a paintable surface results.

LENGTHS

Random lengths shall be 3 to 20 feet in multiples of one foot. Not over 15% of any one item shall be under 8 feet. When computing the percentage of shorts in casing and stops, pieces 7' in length will be considered long lengths.

Specified lengths of cut to length window and door trim shall be graded as completely usable.

Finger and/or laminated jointed mouldings may be ordered in specified lengths with not over 15% trim backs permitted in any one item.

SPECIFIED LENGTHS

We reserve the option to charge a 25% premium on specified lengths of items normally sold on a random length basis. This policy applies mostly to Solid Pine, Oak and Hemlock mouldings.

ADHESIVES

Adhesives used in finger joints or laminations shall meet the dry used adhesive performance requirements of ASTM D-3110-82 (or latest revision) "Standard Specification for Adhesives Used in Non-Structural Glued Lumber Products."

In situations where a Wet-Use adhesive is required, it shall be so specified, acknowledged and invoiced.

BUNDLING shall be in accordance with the Standard Wood Moulding and Millwork Producers Association Schedule.

MANUFACTURING TOLERANCES

Thickness and width + or - 1/32"

DEFINITIONS

Definitions of characteristics permitted in wood mouldings shall be those of the National Grading Rules for softwood lumber.

SETTLEMENT PROVISIONS

In determining compliance with purchase specifications and of effecting settlement of invoices between buyers and sellers, each item of a shipment shall be considered as of the grade invoiced if upon re-inspection 95% thereof or more is found to be of said grade or better.

Green's The Thing

At Trimco Millwork, we're not just trying to conserve energy and reduce our own carbon footprint, we're taking green to the next level by offering the finest, environmentally responsible building materials available. We offer a wide range of products that are made from recycled materials or are recyclable, as well as products from manufacturers that support the green initiatives of the organizations you see on this page. We are constantly searching for and adding high quality, green products to our inventory.

Go Green

To make it easier for our customers to find greener building materials we have developed **Go Green**, a selection of products that are easier on the earth through their manufacture, performance or use. Our **Go Green** offerings can help you meet your green product requirements.

Building Green With Trimco

The products listed below are a sample of the **Go Green** products we offer at Trimco Millwork:

MOULDING

ULTRALITE BOARDS
PAC-FIT / CAN TRIM - MDF
KNOTTY ALDER
FERCHE - OAK
SIERRA PACIFIC - FRAMES

DOORS

THERMA TRU - DOORS

TYPAR



For more information about **Go Green** products contact us at



15000 East 39th Ave.
Aurora, Colorado 80011
Phone: 303-371-8888
Toll Free: 1-800-574-4455
Fax: 303-371-0181



TRIMCO **M I L L W O R K**

**15000 East 39th Ave.
Aurora, Colorado 80011
Phone: 303-371-8888
Toll Free: 1-800-574-4455
Fax: 303-371-0181**